

Sluitringen



- Vlakke sluitring zonder facet
- Volgens DIN 125A
- Elektrolytisch verzinkt

Afmeting	VPE	Artikelnummer
M4	250	25.125.04
M5	250	25.125.05
M6	250	25.125.06
M8	250	25.125.08
M10	250	25.125.10
M12	150	25.125.12
M14	100	25.125.14

Afmeting	VPE	Artikelnummer
M16	100	25.125.16
M18	100	25.125.18
M20	100	25.125.20
M22	50	25.125.22
M24	50	25.125.24
M30	50	25.125.30

Sluitringen RVS



- Vlakke sluitringen
- Volgens DIN 125A
- Roestvaststaal A2

Afmeting	VPE	Artikelnummer
M4	500	25.125.04.01
M5	500	25.125.05.01
M6	500	25.125.06.01
M7	500	25.125.07.01
M8	500	25.125.08.01
M10	500	25.125.10.01
M12	500	25.125.12.01
M14	200	25.125.14.01
M16	200	25.125.16.01

Afmeting	VPE	Artikelnummer
M18	200	25.125.18.01
M20	200	25.125.20.01
M22	100	25.125.22.01
M24	100	25.125.24.01
M27	50	25.125.27.01
M30	50	25.125.30.01
M33	50	25.125.33.01
M36	50	25.125.36.01
M42	20	25.125.42.01

Veerringen



- Veerring met vlakke einden
- Volgens DIN 127B
- Elektrolytisch verzinkt

Afmeting	VPE	Artikelnummer
M4	250	25.127.04
M5	250	25.127.05
M6	250	25.127.06
M8	200	25.127.08
M10	200	25.127.10
M12	150	25.127.12
M14	100	25.127.14

Afmeting	VPE	Artikelnummer
M16	100	25.127.16
M18	100	25.127.18
M20	100	25.127.20
M22	50	25.127.22
M24	50	25.127.24
M30	25	25.127.30

Veerringen RVS



- Veerring met vlakke einden
- Volgens DIN 127B
- Roesvaststaal A2

Afmeting	VPE	Artikelnummer
M4	500	25.127.04.0
M5	500	25.127.05.0
M6	500	25.127.06.0
M7	500	25.127.07.0
M8	500	25.127.08.0
M10	500	25.127.10.0
M11	500	25.127.11.0
M12	500	25.127.12.0
M14	200	25.127.14.0

Afmeting	VPE	Artikelnummer
M16	200	25.127.16.0
M18	200	25.127.18.0
M20	200	25.127.20.0
M22	100	25.127.22.0
M24	100	25.127.24.0
M27	50	25.127.27.0
M30	50	25.127.30.0
M33	50	25.127.33.0
M36	50	25.127.36.0

NORD-LOCK borgringen RVS



- Roesvaststaal A4

Afmeting	VPE	Artikelnummer
M3	200	25.55437.03.01
M4	200	25.55437.04.01
M5	200	25.55437.05.01
M6	200	25.55437.06.01
M8	200	25.55437.08.01
M10	200	25.55437.10.01
M12	200	25.55437.12.01
M16	100	25.55437.16.01
M18	100	25.55437.18.01

Afmeting	VPE	Artikelnummer
M20	100	25.55437.20.01
M22	100	25.55437.22.01
M24	100	25.55437.24.01
M27	50	25.55437.27.01
M30	50	25.55437.30.01
M33	25	25.55437.33.01
M36	25	25.55437.36.01
M39	25	25.55437.39.01
M42	25	25.55437.42.01

NORD-LOCK borgringen (verlijmd per 2 stuks)



- Staal
- Deltaprotekt

Afmeting	VPE	Artikelnummer
M3	200	25.37980.03
M4	200	25.37980.04
M5	200	25.37980.05
M6	200	25.37980.06
M8	200	25.37980.08
M10	200	25.37980.10
M12	200	25.37980.12
M14	100	25.37980.14
M16	100	25.37980.16

Afmeting	VPE	Artikelnummer
M18	100	25.37980.18
M20	100	25.37980.20
M22	100	25.37980.22
M24	100	25.37980.24
M27	50	25.37980.27
M30	50	25.37980.30
M33	25	25.37980.33
M36	25	25.37980.36
M42	25	25.37980.42

Carrosserieringen



- Vlakke sluitring
- Volgens DIN 9021
- Elektrolytisch verzinkt
- Staal
- Buitendiameter ≈ 3 x afmeting

Afmeting	VPE	Artikelnummer
M4	250	25.9021.04
M5	250	25.9021.05
M6	250	25.9021.06
M8	250	25.9021.08
M10	200	25.9021.10

Afmeting	VPE	Artikelnummer
M12	200	25.9021.12
M14	100	25.9021.14
M16	100	25.9021.16
M20	100	25.9021.20
M24	100	25.9021.24

Tandveerringen



- Met gesloten buitenveranding
- Volgens DIN 6798A
- Elektrolytisch verzinkt

Afmeting	VPE	Artikelnummer
M6	200	25.6798.06
M8	200	25.6798.08
M10	100	25.6798.10
M12	100	25.6798.12
M14	100	25.6798.14

Afmeting	VPE	Artikelnummer
M16	100	25.6798.16
M20	100	25.6798.20
M22	100	25.6798.22
M24	100	25.6798.24
M30	25	25.6798.30

Carrosserieringen (breed)



- Volgens DIN 9021
- Staal
- Elektrolytisch verzinkt

Afmeting	VPE	Artikelnummer
M3 x 10	100	25.9021.3X10
M4 x 20	100	25.9021.4X20
M5 x 20	100	25.9021.5X20
M5 x 25	100	25.9021.5X25
M5 x 30	100	25.9021.5X30
M6 x 14	100	25.9021.6X14
M6 x 20	100	25.9021.6X20
M6 x 25	100	25.9021.6X25
M6 x 27	100	25.9021.6X27
M6 x 30	100	25.9021.6X30
M6 x 35	100	25.9021.6X35
M6 x 38	100	25.9021.6X38
M6 x 40	100	25.9021.6X40
M7 x 20	100	25.9021.7X20
M7 x 25	100	25.9021.7X25
M7 x 30	100	25.9021.7X30
M8 x 25	100	25.9021.8X25
M8 x 30	100	25.9021.8X30
M8 x 35	100	25.9021.8X35
M8 x 38	100	25.9021.8X38
M8 x 40	100	25.9021.8X40
M8 x 45	100	25.9021.8X45
M8 x 50	100	25.9021.8X50
M10 x 30	100	25.9021.10X30
M10 x 35	100	25.9021.10X35

Afmeting	VPE	Artikelnummer
M10 x 38	100	25.9021.10X38
M10 x 40	100	25.9021.10X40
M10 x 50	100	25.9021.10X50
M10 x 60	100	25.9021.10X60
M11 x 35	100	25.9021.11X35
M12 x 30	100	25.9021.12X30
M12 x 36	100	25.9021.12X36
M12 x 40	100	25.9021.12X40
M12 x 35	100	25.9021.12X35
M14 x 36	100	25.9021.14X36
M14 x 40	100	25.9021.14X40
M14 x 45	100	25.9021.14X45
M16 x 40	100	25.9021.16X40
M16 x 45	100	25.9021.16X45
M16 x 50	100	25.9021.16X50
M17 x 40	100	25.9021.17X40
M17 x 45	100	25.9021.17X45
M20 x 50	100	25.9021.20X50
M20 x 55	100	25.9021.20X55
M22 x 75	50	25.9021.22X75
M24 x 80	50	25.9021.24X80
M24 x 85	50	25.9021.24X85
M27 x 85	25	25.9021.27X85
M30 x 95	25	25.9021.30X95

Carrossereringen RVS



- Volgens DIN 9021
- Roestvaststaal A2
- Vlakke sluitring

Afmeting	VPE	Artikelnummer
M3	200	25.9021.03.0
M4	200	25.9021.04.0
M5	200	25.9021.05.0
M6	200	25.9021.06.0
M8	200	25.9021.08.0
M10	200	25.9021.10.0
M12	200	25.9021.12.0

Afmeting	VPE	Artikelnummer
M14	200	25.9021.14.0
M16	200	25.9021.16.0
M20	200	25.9021.20.0
M24	25	25.9021.24.0
M30	25	25.9021.30.0
M36	10	25.9021.36.0

Carrossereringen (breed) RVS



- Vlakke sluitring
- Volgens DIN 9021
- Roestvaststaal A2

Afmeting	VPE	Artikelnummer
M4 x 20	200	25.9021.4X20.0
M5 x 20	200	25.9021.5X20.0
M6 x 18	200	25.9021.6X18.0
M6 x 20	200	25.9021.6X20.0
M6 x 25	200	25.9021.6X25.0
M6 x 30	200	25.9021.6X30.0
M8 x 25	200	25.9021.8X25.0

Afmeting	VPE	Artikelnummer
M8 x 30	200	25.9021.8X30.0
M10 x 25	200	25.9021.10X25.0
M10 x 30	200	25.9021.10X30.0
M10 x 35	200	25.9021.10X35.0
M12 x 36	200	25.9021.12X36.0
M16 x 50	200	25.9021.16X50.0

Koperringen



- Volgens DIN 7603A
- Koper
- Hoogte = 1,5 mm

Afmeting	VPE	Artikelnummer
6 x 10 mm	100	25.7603A.6X10X1.5
8 x 14 mm	100	25.7603A.8X14X1.5
9 x 14 mm	100	25.7603A.9X14X1.5
10 x 14 mm	100	25.7603A.10X14X1.5
10 x 16 mm	100	25.7603A.10X16X1.5
10 x 20 mm	100	25.7603A.10X20X1.5
10,5 x 17 mm	100	25.7603A.10.5X17X1.5
11 x 17 mm	100	25.7603A.11X17X1.5
12 x 16 mm	50	25.7603A.12X16X1.5
12 x 17 mm	50	25.7603A.12X17X1.5
12 x 18 mm	50	25.7603A.12X18X1.5
12 x 20 mm	50	25.7603A.12X20X1.5
12,5 x 20 mm	50	25.7603A.12.5X20X1.5
13 x 18 mm	50	25.7603A.13X18X1.5
14 x 18 mm	50	25.7603A.14X18X1.5
14 x 20 mm	50	25.7603A.14X20X1.5
14 x 22 mm	50	25.7603A.14X22X1.5
15 x 20 mm	50	25.7603A.15X20X1.5
16 x 20 mm	50	25.7603A.16X20X1.5
16 x 22 mm	50	25.7603A.16X22X1.5
17 x 21 mm	50	25.7603A.17X21X1.5
17 x 22 mm	50	25.7603A.17X22X1.5
18 x 24 mm	25	25.7603A.18X24X1.5
20 x 24 mm	25	25.7603A.20X24X1.5
20 x 26 mm	25	25.7603A.20X26X1.5
21 x 26 mm	25	25.7603A.21X26X1.5
21 x 28 mm	25	25.7603A.21X28X1.5
22 x 27 mm	25	25.7603A.22X27X1.5
22 x 29 mm	25	25.7603A.22X29X1.5

Koperringen



- Volgens DIN 7603A
- Koper
- Hoogte = 2 mm

Afmeting	VPE	Artikelnummer
7,1 x 15 mm	100	25.7603A.7.1X15X2
10 x 19 mm	100	25.7603A.10X19X2
13 x 18 mm	50	25.7603A.13X18X2
14 x 18 mm	50	25.7603A.14X18X2
14 x 20 mm	50	25.7603A.14X20X2
15 x 20 mm	50	25.7603A.15X20X2
16 x 20 mm	50	25.7603A.16X20X2
16 x 21 mm	50	25.7603A.16X21X2
16 x 22 mm	50	25.7603A.16X22X2
16,5 x 24 mm	25	25.7603A.16.5X24X2
17 x 24 mm	25	25.7603A.17X24X2
17,5 x 25 mm	25	25.7603A.17.5X25X2
18 x 24 mm	25	25.7603A.18X24X2
19 x 26 mm	25	25.7603A.19X26X2
20 x 24 mm	25	25.7603A.20X24X2
21 x 26 mm	25	25.7603A.21X26X2
21 x 28 mm	25	25.7603A.21X28X2
22 x 26 mm	25	25.7603A.22X26X2

Afmeting	VPE	Artikelnummer
22 x 29 mm	25	25.7603A.22X29X2
24 x 30 mm	25	25.7603A.24X30X2
24 x 32 mm	25	25.7603A.24X32X2
26 x 32 mm	10	25.7603A.26X32X2
26 x 33 mm	10	25.7603A.26X33X2
26 x 34 mm	10	25.7603A.26X34X2
28 x 34 mm	10	25.7603A.28X34X2
30 x 36 mm	10	25.7603A.30X36X2
30 x 38 mm	10	25.7603A.30X38X2
32 x 38 mm	10	25.7603A.32X38X2
32 x 40 mm	10	25.7603A.32X40X2
33 x 39 mm	10	25.7603A.33X39X2
35 x 45 mm	10	25.7603A.35X45X2
36 x 42 mm	10	25.7603A.36X42X2
38 x 44 mm	10	25.7603A.38X44X2
40 x 47 mm	10	25.7603A.40X47X2
45 x 52 mm	10	25.7603A.45X52X2
50 x 57 mm	10	25.7603A.50X57X2

Asborgringen RVS



- Volgens DIN 6799
- Roestvaststaal A2

Afmeting	VPE	Artikelnummer
M4	250	25.6799.4.0
M5	250	25.6799.5.0
M6	250	25.6799.6.0

Afmeting	VPE	Artikelnummer
M8	250	25.6799.8.0
M10	100	25.6799.10.0
M12	100	25.6799.12.0

Borgringen RVS



- Volgens DIN 472
- Roestvaststaal A2

Afmeting	VPE	Artikelnummer
15 mm	50	25.472.15.0
16 mm	50	25.472.16.0
17 mm	50	25.472.17.0
18 mm	50	25.472.18.0
19 mm	50	25.472.19.0
20 mm	50	25.472.20.0
22 mm	50	25.472.22.0
25 mm	25	25.472.25.0
26 mm	25	25.472.26.0
28 mm	25	25.472.28.0

Afmeting	VPE	Artikelnummer
30 mm	25	25.472.30.0
32 mm	25	25.472.32.0
34 mm	25	25.472.34.0
35 mm	25	25.472.35.0
36 mm	25	25.472.36.0
37 mm	25	25.472.37.0
40 mm	10	25.472.40.0
36 mm	25	25.471.36.0
38 mm	25	25.471.38.0
40 mm	10	25.471.40.0

Zekeringsringen voor assen RVS



- Volgens DIN 471
- Roestvaststaal A2

Afmeting	VPE	Artikelnummer
10 mm	100	25.471.10.0
11 mm	100	25.471.11.0
12 mm	100	25.471.12.0
13 mm	50	25.471.13.0
14 mm	50	25.471.14.0
15 mm	50	25.471.15.0
16 mm	50	25.471.16.0
18 mm	50	25.471.18.0
19 mm	50	25.471.19.0
20 mm	50	25.471.20.0
21 mm	50	25.471.21.0

Afmeting	VPE	Artikelnummer
22 mm	50	25.471.22.0
23 mm	50	25.471.23.0
24 mm	50	25.471.24.0
25 mm	25	25.471.25.0
26 mm	25	25.471.26.0
28 mm	25	25.471.28.0
30 mm	25	25.471.30.0
32 mm	25	25.471.32.0
34 mm	25	25.471.34.0
35 mm	25	25.471.35.0